

ÉCOLE

POLYTECHNIQUE

MONTRÉAL





D. Gagnon¹, G. Painchaud-April¹, J. Poirier¹, L. J. Dubé¹, F. Vanier², A. Hayat² and Y.-A. Peter²

¹Département de physique, de génie physique, et d'optique, Université Laval, Québec, Canada ²Département de génie physique, École Polytechnique de Montréal, Montréal, Canada

1. Experimental setup

High Q-factor erbium-doped silica **annular cavities** are ideal candidates for **integrated directional lasers**. Nonuniform emission can be achieved without significantly spoil-

2. Boundary element method for annular cavities

The **wave dynamics** of the annular cavity is described by the 2D Helmholtz equation

3. Ray-escape simulations

The annular cavity consists of a circular disk of radius R and refractive index n_2 , surrounded by a medium of index n_1 , with a circular inclusion of radius R_a and index n_1 displaced a distance d from the cavity center.

ing the Q-factor of the unperturbed cavity (no inclusion).





Fig. 1: Scanning electron microscopy (left) and optical characterization setup (right) of a silica annular microcavity.

Fabrication process: The silica (SiO_2 , refractive index ~ 1.5) disk is patterned using standard **photolithographic** methods followed by wet HF etching. A dry underetching of the silicon base releases the outer region of the disk. A CO_2 laser reflow is performed to generate a **toroidal cavity**. Microstructures (e.g. holes) can be engraved using a focused ion beam (Fig. 1).

Optical characterization: Light is coupled inside the cavity using a 2 µm **tapered fiber** (Fig. 1). The resonant spectrum is obtained using a tunable laser source. Once tuned to a resonant frequency, the far-field emission may be recorded using various methods. A reflecting stage coupled to an infrared camera has been developed for this purpose.

Goals

Acquire **design rules** to harness the far-field characteristics of integrated optics devices. To guide the experiment, we have pursued **numerical simulations** of the associated dy-

$\left[\nabla^2 + n^2(\boldsymbol{r})k^2\right]\psi(\boldsymbol{r}) = 0.$

Using Green's second identity, one obtains the following boundary integral equation

 $\psi(\boldsymbol{r'}) = \oint_{\Gamma_i} d\boldsymbol{s} \cdot \left[\psi(\boldsymbol{r}) \nabla G(\boldsymbol{r}, \boldsymbol{r'}; k) - G(\boldsymbol{r}, \boldsymbol{r'}; k) \nabla \psi(\boldsymbol{r})\right]$

where $G(\mathbf{r}, \mathbf{r'}; k)$ is the homogeneous medium **Green's func**tion. We have implemented a generalization of the **bound**ary element method [1]. This generalization allows to find resonant modes of annular cavities (more generally, to solve the problem in **multiply connected domains**). The numerical procedure can be summarized as follows

- 1. A boundary integral equation is obtained for the three dielectric domains (inclusion, disk, surroundings) shown on Fig. 2
- 2. The boundary is discretized in order to transform integral equations in a non-linear eigenvalue problem
- 3. The complex resonant modes are found using **analytic** (unperturbed) solutions as starting points for the eigenvalue search [2]. Every analytic solution is labeled by an angular quantum number m and possesses a resonant wavenumber $k_{\rm res} = k' - ik''$.



Holey structures? The BEM algorithm for annular cavities also applies



Fig. 2: Annular cavity geometry and associated phase space

The **annular billiard** provides a useful model for the emission properties of annular cavities. Three important phasespace limits exist in the case of the open billiard

1. The non-regular (NR) boundary separating regular and chaotic trajectories, $p_{\rm NR} = (d + R_a)/R$ 2. The total internal reflection (TIR) limit, $p_{\text{TIR}} = n_1/n_2$ 3. The semiclassical wave momentum, $p_m = m/n_2 k' R$.

Ray-escape simulations give us access to **universal** farfield characteristics, those expected in the semi-classical regime.

Choice of geometric parameters

An eccentric inclusion $(d \neq 0)$ and an appropriate choice of R_a can induce non-uniform emission while preserving the Q-factor of WGMs [3]. Two conditions must be satisfied

1. TIR region embedded in NR region $(p_{\text{TIR}} < p_{\text{NR}})$

namics. Two types of **dynamics** are studied concomitantly.

1. The wave dynamics (boundary element method) 2. The classical dynamics (ray-escape simulations)

to holey fibers, photonic crystal cavities and fibers. In all cases, the axial field component is uncoupled

2. W	GM loo	calized of	outside	NR	region	(p_m)	>	$p_{\rm NR}$).	
					_	、 —			

Parameter	d/R	R_a/R	$p_{\rm NR}$	p_{TIR}
Value	0.5	0.2	0.7	0.67

4. Ray-wave correspondence and universality of far-field emission

 $k' \simeq 26.6$

m = 35

 π





Comparison of far-field intensities computed via the boundary element method and ray-escape simulations (**blue**). Odd (**red**) and even (green) symmetry modes of the inhomogeneous annular cavity are quasi-degenerate, and the far-field intensity is therefore computed as $I = |\psi_0|^2 + |\psi_e|^2$ (black). (a) Resonant mode with unperturbed $Q \simeq 10^4$. (b) Resonant mode with unperturbed $Q \simeq 10^5$. (c) A case closer to experimental reality (infrared vavelength, $R = 50 \ \mu m$) which is at present beyond the limit of our wave simulations.

 $\pi/2$

The ray-escape and wave results agree quite well with respect to the dominant **emission directions**, even for relatively low wavenumbers. The global shape for a given configuration displays **universal** behaviour regardless of the wavenumber regime as long as $p_m \gg p_{\rm NR}$.

6. Conclusions and outlooks

The ray-wave correspondence allowed us to infer **universal** far-field properties of silica annular cavities. This permits computation beyond the limit of wave simulations.

A simple geometric model was developed in order to help improve **emission directionality** via new designs (modified **geometries** as well as different **refractive indices**).

The next experimental step is to obtain reliable **far-field measures**, while a numerical investigation of promising geometries/medium combinations is being made.

References

[1] J. Wiersig, "Boundary element method for resonances in dielectric microcavities," J. Opt. A 5 53069, 2003.

[2] M. Hentschel & K. Richter, "Quantum chaos in optical systems: The annular billiard," Phys. Rev. E 66 056207, 2003.

5. How to improve collimation?

Ray-escape and wave results suggest that the triple-peaked far-field profile observed for silica cavities is similar for an inner inclusion, **regardless of the geometry**.

A simple model based on **paraxial ray-optics** can help improve collimation. Circular cavities (the backbone of annular cavities) are approximated as paraxial lenses and focal points are found. A point source placed at a focal point will result in highly collimated emission. For a silica cavity, this point is located **outside the boundary**.

Promising designs

While this model is mostly accurate in the regime $R_a \ll \lambda$ ("point" inclusion), it suggests many interesting designs that might exhibit better emission directionality

- Fig. 3a: Replacing an inclusion by an exclusion (coupled silica cavities, photonic molecules)
- Fig. 3b: Cavities with a defect on the boundary, e.g. [4]
- Fig. 3c: Silicon-On-Insulator (SOI) annular cavities.

(c) $n_2 = 3.2$ Fig. 3: Focal points of a circular cavity [3] G. Painchaud-April et al., "Phase space engineering in optical microcavities I: Preserving near-field uniformity while inducing far-field directionality" and J. Poirier et al. "II: Controlling the far-field," ICTON Conf. Proc. 2010.

[4] Q. J. Wang et al., "Whispering-gallery mode resonators for highly unidirectional laser action," PNAS 107 22407, 2010.



Fonds de recherche sur la nature et les technologies * * Dec 📭 🔹



(b) $n_2 = 2.0$

(a) $n_2 = 1.5$

